

SAFETY DATA SHEET

1. IDENTIFICATION OF THE PREPARATION AND THE COMPANY

PRODUCT NAME: CAR WAX SHAMPOO
PART NO: 3050815
REACH: ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.
COMPANY IDENTIFICATION: CLARKE INTERNATIONAL
HEMNALL STREET, EPPING, ESSEX, CM16 4LG
BUSINESS TELEPHONE: 01992 565300
BUSINESS FAX: 01992 561562
EMERGENCY TELEPHONE: 020 89887400

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1 Classification - 1999/45/EC Xi; R36
Symbols: Xi: Irritant
Main hazards Irritating to eyes
2.1.2. Classification – EC Eye Dam. 1:H318; Aquatic Chronic 3: H412;

2.2 Label Elements

Hazard pictograms



Signal Word

Danger

Hazard Statement

Eye Dam. 1:H318 – Causes serious eye damage.
Aquatic Chronic 3: H412 – harmful to aquatic life with long lasting effects.

Precautionary Statement: Prevention

P273 – Avoid release to the environment.
P280 – Wear protective gloves / protective clothing / eye protection / face protection

Precautionary Statement:

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary Statement:

P337+P313 – If eye irritation persists: Get medical advice / attention.
P501 – Dispose of contents / container to requirements of local authorities

2.3. Other hazards

Other hazards

Spillage may create slip hazard.

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%W/W)	Classification	M-factor.
COCONUT DIETHANOLMINE		8051-30-7			1-10%	Xi; R38-41	
ALCOHOL ETHOXYLATE		68439-46-3			1-10%	Xn; R22 Xi; R41	
SODIUM DODECYLBENZENE SULFONATE:		25155-30-0			1-10%	Xn; R22 Xi; R37/38-41	
Formaldehyde ...% (Formaldehyde)	605-001-00-5	50-00-0	200-001-8		0-0.5%	Carc. Cat. 3; R40 T; R23/24/25 C; R34 R43	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%W/W)	Classification	M-factor.
COCONUT DIETHANOLMINE		8051-30-7			1-10%	Sin irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 2: H411;	
WATER					70-80%		
ALCOHOL ETHOXYLATE		68439-46-3			1-10%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
2,2'-Iminodiethanol	603-071-00-1	111-42-2	203-868-0		0 - 0.5%	Acute Tox. 4: H302; STOT RE 2: H373; Skin irrit. 2: H315; Eye Dam. 1: H318;	
SODIUM DODECYLBENZENE SULFONATE: SODIUM HYDROXIDE (NEUTRALISED) CANAUBA WAX FORMALDEHYDE		25155-30-0			1-10%	Skin irrit. 2: H315; Eye Dam. 1: H318;	
...% (Formaldehyde)	605-001-005	50-00-0	200-001-8		0.5 – 1%		
					0 – 0.5%	Carc. 1B: H350; Muta. 2: H341; Acute Tox. 3: H331; Acute Tox. 3 :H311; Acute Tox. 3 H301; Skin Corr. 1B: H314; Skin Sens. 1:H317;	
DYE					0 – 0.5%		

4. FIRST AID MEASURES:

4.1. Description of first aid measures

Inhalation	No significant hazard.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES:

5.1 Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2 Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

6. ACCIDENTAL RELEASE MEASURES:

6.1 Personal precautions, protective equipment and emergency procedures

Adopt best manual handling considerations when handling, carrying and dispensing.

6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal.

Clean spillage area thoroughly with plenty of water.

7. HANDLING & STORAGE:

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Adopt best manual handling considerations when handling, carrying and dispensing.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:

8.1 Control Parameters

8.1.1. Exposure Limit Values

Formaldehyde ...%
(Formaldehyde)

WEL 8-hr limit ppm: 2

WEL 8-hr limit mg/m³: 2.5

WEL 15 min limit ppm:2

WEL 15 min limit mg/m³: 2.5

WEL 8-hr limit mg/m³ total -

WEL 15 min limit mg/m³ total -

Inhalable dust:

Inhalable dust:

WEL 8-hr limit mg/m³ total -

WEL 15 min limit mg/m³ total -

Respirable dust:

Respirable dust:

8.2 Exposure Controls

8.2.1 Appropriate engineering Controls

Not normally required.

8.2.2 Individual protection

Wear protective clothing

Eye / face protection

In case of splashing wear: Approved safety goggles

Skin protection – Hand protection

Chemical resistant gloves (PVC)

9. PHYSICAL AND CHEMICAL PROPERTIES:

9.1 Information on basic physical and chemical properties

Appearance	Liquid
Colour	Various
Odour	Mild
pH	7.5 nominal
Initial boiling point	100°C
Relative density	1.02 nominal

10. STABILITY AND REACTIVITY:

10.2 Chemical Stability

Stable under normal conditions

11. TOXICOLOGICAL INFORMATION:**11.1 Information on toxicological effects****Acute toxicity**

No data is available on this product. This product does not contain any substances classified as hazardous to health.

Skin corrosion / irritation

May cause irritation to eyes. No irritation expected.

12. ECOLOGICAL INFORMATION:**12.1 Toxicity**

No data is available on this product

12.2 Persistence and Degradability

More than 90% biodegradable

12.3 Bioaccumulative Potential

Does not bioaccumulate

13. DISPOSAL CONSIDERATIONS:**General information**

Dispose of in compliance with all local and national regulations

14. TRANSPORT INFORMATION:**General information**

The product is not classified as dangerous for carriage

15. REGULATORY INFORMATION:**15.2 Chemical safety assessment**

No chemical safety assessment has been carried out by the supplier.

16. OTHER INFORMATION:**Revision**

This document differs from the previous version in the following areas:

2 – Precautionary Statement: Response

2 – Precautionary Statement: Disposal

Text of risk phrases in Section 3

R22 – Harmful if swallowed

R23/24/25 – Toxic by inhalation, in contact with skin and if swallowed.

R34 – Causes burns.

R37/38 – Irritating to respiratory system and skin.

R38 – Irritating to skin.

R40 – Limited evidence of a carcinogenic effect.

R41 – Risk of serious damage to eyes.

R43 – May cause sensitisation by skin contact.

Text of hazard statements in Section 3

Skin Irrit. 2: H315 – Causes skin irritation

Eye Dam. 1: H318 – Causes serious eye damage.

Aquatic Chronic 2: H411 – Toxic to aquatic life with long lasting effects.

Acute Tox. 4: H302 – Harmful if swallowed.

STOT RE 2: H373 – May cause damage to organs through prolonged or repeated exposure.

Further information

This information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication, however no guarantee is made to its accuracy. This information relates only to the specific

material designated and may not be valid for such material used in combination with any other materials or in any other process.

Last updated: 10.08.15