

## SAFETY DATA SHEET

according to Regulation (EU) 2015/830

3051064 / 1066 parts wash rtu 00062

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	3051064 / 1066 parts wash rtu 00062
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Description	Aqueous solution.
-------------	-------------------

#### 1.3. Details of the supplier of the safety data sheet

Company	CLARKE International Ltd
Address	Sealand House Hemnal Street Epping Essex CM16 4LG
Telephone	
Fax	+44 (0) 1992 565 300 +44 (0) 1992 561 562

#### 1.4. Emergency telephone number


Emergency telephone number	+44 (0) 1992 488 550
Company	CLARKE INTERNATIONAL Ltd Working Hours

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
--------------------------------------	--

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P264 - Wash hands thoroughly after handling.

## 3051064 / 1066 parts wash rtu 00062

Revision 4

Revision date 2017-07-26

## 2.2. Label elements

<b>Precautionary Statement: Response</b>	P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES

## 2.3. Other hazards

<b>Other hazards</b>	SPILLAGE MAY CREATE SLIP HAZARD.
----------------------	----------------------------------

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					60 - 70%		
Formaldehyde...% (Formaldehyde)	605-001-00-5	50-00-0	200-001-8		0 - 0.5%	Carc. Cat. 3; R40 T; R23/24/25 C; R34 R43	
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		0 - 0.5%	Carc. Cat. 3; R40 Xn; R22 Xi; R36	
SODIUM XYLENE SULPHONATE		1300-72-7			0 - 0.5%	Xi; R36/37/38	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		0.5 - 1%	F; R11 Xi; R36 R67	
ORANGE TERPENE		8028-48-6	232-433-8		0 - 0.5%	Xn; R65 Xi; R38 N; R51/53 R10	
ALCOHOL ETHOXYLATE		68439-46-3			0 - 0.5%	Xn; R22 Xi; R41	
Ethanolamine (2-Aminoethanol)	603-030-00-8	141-43-5	205-483-3	01-2119486455-28	0 - 0.5%	Xn; R20/21/22 C; R34	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35	
DISTILLED TALL OIL		8002-26-4	232-304-6		0 - 0.5%	Xi; R36/38	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					60 - 70%		
Formaldehyde...% (Formaldehyde)	605-001-00-5	50-00-0	200-001-8		0 - 0.5%	Carc. 1B: H350; Muta. 2: H341; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; Skin Corr. 1B: H314; Skin Sens. 1: H317;	
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		0 - 0.5%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;	
SODIUM XYLENE SULPHONATE		1300-72-7			0 - 0.5%	Eye Irrit. 2: H319;	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		0.5 - 1%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;	
ORANGE TERPENE		8028-48-6	232-433-8		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Aquatic Chronic 1: H410;	
ALCOHOL ETHOXYLATE		68439-46-3			0 - 0.5%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
Ethanolamine (2-Aminoethanol)	603-030-00-8	141-43-5	205-483-3	01-2119486455-28	0 - 0.5%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314;	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;	
DISTILLED TALL OIL		8002-26-4	232-304-6		0 - 0.5%		

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

## 3051064 / 1066 parts wash rtu 00062

Revision 4

Revision date 2017-07-26

**4.1. Description of first aid measures**

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

**5.2. Special hazards arising from the substance or mixture**

	Burning produces irritating, toxic and obnoxious fumes.
--	---

**5.3. Advice for firefighters**

	Wear suitable respiratory equipment when necessary.
--	---

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

**6.2. Environmental precautions**

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

**6.3. Methods and material for containment and cleaning up**

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

	Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

**7.2. Conditions for safe storage, including any incompatibilities**

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****8.1.1. Exposure Limit Values**

## 3051064 / 1066 parts wash rtu 00062

Revision 4  
Revision date 2017-07-26

## 8.1.1. Exposure Limit Values

Ethanolamine (2-Aminoethanol)	WEL 8-hr limit ppm: 1 WEL 15 min limit ppm: 3 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 2.5 WEL 15 min limit mg/m3: 7.6 WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Formaldehyde...% (Formaldehyde)	WEL 8-hr limit ppm: 2  WEL 15 min limit ppm: 2 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 2.5  WEL 15 min limit mg/m3: 2.5 WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400 WEL 15 min limit ppm: 500 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 999 WEL 15 min limit mg/m3: 1250 WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Sodium hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:

## DNEL: Derived no-effect level.

No data is available on this product.

## 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Not normally required.
8.2.2. Individual protection measures	Wear protective clothing.
Eye / face protection	In case of splashing, wear: . Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Amber
Odour	Characteristic
pH	9.0 NOMINAL
Initial boiling point	100
Relative density	1.00 NOMINAL

## Water solubility

Soluble in water.

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

Stable under normal conditions.

## SECTION 11: Toxicological information

## 3051064 / 1066 parts wash rtu 00062

Revision 4  
Revision date 2017-07-26

## 11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	May cause degreasing of the skin. May cause irritation to eyes.

## 11.1.4. Toxicological Information

ORANGE TERPENE	Inhalation Rat LC50/4 h: 5mg/l
----------------	--------------------------------

## SECTION 12: Ecological information

## 12.1. Toxicity

	No data is available on this product.
--	---------------------------------------

## 12.2. Persistence and degradability

	DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE.
--	--

## SECTION 13: Disposal considerations

## General information

	Dispose of in compliance with all local and national regulations.
--	---

## SECTION 14: Transport information

## Further information

	The product is not classified as dangerous for carriage.
--	--

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
-------------	--

## 15.2. Chemical safety assessment

	No chemical Safety assessment has been carried out by the supplier.
--	---

## SECTION 16: Other information

## Other information

Revision	This document differs from the previous version in the following areas: 1 - Description. 2 - Precautionary Statement: Prevention. 15 - Regulations.
Text of risk phrases in Section 3	R10 - Flammable R11 - Highly flammable. R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed. R22 - Harmful if swallowed. R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed. R34 - Causes burns. R35 - Causes severe burns. R36/37/38 - Irritating to eyes, respiratory system and skin. R36/38 - Irritating to eyes and skin.

## 3051064 / 1066 parts wash rtu 00062

Revision 4

Revision date 2017-07-26

## Other information

<p><b>Text of Hazard Statements in Section 3</b></p>	<p>R36 - Irritating to eyes.  R38 - Irritating to skin.  R40 - Limited evidence of a carcinogenic effect.  R41 - Risk of serious damage to eyes.  R43 - May cause sensitisation by skin contact.  R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  R65 - Harmful: may cause lung damage if swallowed.  R67 - Vapours may cause drowsiness and dizziness.</p> <hr/> <p>Acute Tox. 4: H302 - Harmful if swallowed.  Eye Irrit. 2: H319 - Causes serious eye irritation.  Carc. 2: H351 - Suspected of causing cancer .  Flam. Liq. 2: H225 - Highly flammable liquid and vapour.  STOT SE 3: H336 - May cause drowsiness or dizziness.  Eye Dam. 1: H318 - Causes serious eye damage.  Acute Tox. 4: H312 - Harmful in contact with skin.  Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.  Acute Tox. 4: H332 - Harmful if inhaled.  STOT SE 3: H335 - May cause respiratory irritation.  Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.  Skin Irrit. 2: H315 - Causes skin irritation.</p>
--	--

## Further information

	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>
--	---