

## SAFETY DATA SHEET

according to Regulation (EU) 2015/830

### 3050818 / 3050819 RTU TRAFFIC FILM REMOVER (EP 00147)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	3050818 / 3050819 RTU TRAFFIC FILM REMOVER (EP 00147)
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Description	Aqueous solution.
-------------	-------------------

##### 1.3. Details of the supplier of the safety data sheet

Company	CLARKE International Ltd
Address	Sealand House Hemnal Street Epping Essex CM16 4LG
Telephone	+44 (0) 1992 565 300
Fax	+44 (0) 1992 561 562

##### 1.4. Emergency telephone number


Emergency telephone number	+44 (0) 1992 488 550
Company	CLARKE INTERNATIONAL Ltd Working Hours

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Eye Irrit. 2: H319;
--------------------------------------	---------------------

##### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

## 3050818 / 3050819 RTU TRAFFIC FILM REMOVER (EP 00147)

Revision 6

Revision date 2017-07-26

## 2.2. Label elements

<b>Precautionary Statement: Response</b>	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES

## 2.3. Other hazards

<b>Other hazards</b>	SPILLAGE MAY CREATE SLIP HAZARD.
----------------------	----------------------------------

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					70 - 80%		
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		0.5 - 1%	Carc. Cat. 3; R40 Xn; R22 Xi; R36	
LAURYL BETAINE		66455-29-6	266-368-1		0 - 0.5%	Xi; R38-41	
ALCOHOL ETHOXYLATE		68439-46-3			0 - 0.5%	Xn; R22 Xi; R41	
TETRA POTASSIUM PYROPHOSPHATE		7320-34-5	230-785-7	01-2119489369-18	0 - 0.5%	Xi; R36	
SODIUM METASILICATE PENTA HYDRATE		6834-92-0	229-912-9	01-2119449811-37 01-2119449811-37	0 - 0.5%	C; R34	
QUATERNARY FATTY AMINE ETHOXYLATE		68989-03-7			0 - 0.5%	Xi; R41 N; R51/53	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					70 - 80%		
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		0.5 - 1%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;	
LAURYL BETAINE		66455-29-6	266-368-1		0 - 0.5%	Eye Dam. 1: H318; Aquatic Chronic 3: H412;	
ALCOHOL ETHOXYLATE		68439-46-3			0 - 0.5%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
TETRA POTASSIUM PYROPHOSPHATE		7320-34-5	230-785-7	01-2119489369-18	0 - 0.5%	Eye Irrit. 2: H319;	
SODIUM METASILICATE PENTA HYDRATE		6834-92-0	229-912-9	01-2119449811-37 01-2119449811-37	0 - 0.5%	Met. Corr. 1: H290; Skin Corr. 1B: H314; Eye Dam. 1: H318; STOT SE 3: H335;	
QUATERNARY FATTY AMINE ETHOXYLATE		68989-03-7			0 - 0.5%	Eye Dam. 1: H318; Aquatic Chronic 2: H411;	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	May cause irritation to mucous membranes. Move the exposed person to fresh air.
<b>Eye contact</b>	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

## SECTION 5: Firefighting measures

## 3050818 / 3050819 RTU TRAFFIC FILM REMOVER (EP 00147)

Revision 6

Revision date 2017-07-26

## 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

## 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

## 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

**SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Adopt best Manual Handling considerations when handling, carrying and dispensing.

## 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

## 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

**SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

**SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

Sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

## DNEL: Derived no-effect level.

No data is available on this product.

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

Not normally required.

## 8.2.2. Individual protection measures

Wear protective clothing.

## Eye / face protection

In case of splashing, wear: Approved safety goggles.

## Skin protection - Handprotection

Chemical resistant gloves (PVC).

**SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

## 3050818 / 3050819 RTU TRAFFIC FILM REMOVER (EP 00147)

Revision 6

Revision date 2017-07-26

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Amber
Odour	Characteristic
pH	9.0 NOMINAL
Initial boiling point	100
Relative density	1.01 NOMINAL

## Water solubility

	Soluble in water.
--	-------------------

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	May cause irritation to eyes. May cause irritation to skin.

## 11.1.4. Toxicological Information

QUATERNARY FATTY AMINE ETHOXYLATE	Oral Rat LD50: <2000mg/kg
--------------------------------------	---------------------------

## SECTION 12: Ecological information

## 12.1. Toxicity

QUATERNARY FATTY AMINE ETHOXYLATE	Fathead minnows LC50/96h: 1-10mg/l
--------------------------------------	------------------------------------

	No data is available on this product.
--	---------------------------------------

## 12.2. Persistence and degradability

	DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. Inorganic materials are inherently not biodegradable however those present in this formulation/product are either of no known significant environmental hazard or are readily neutralised to form inert salts. More than 90% biodegradable.
--	--

## 12.3. Bioaccumulative potential

	Does not bioaccumulate.
--	-------------------------

## SECTION 13: Disposal considerations

## General information

	Dispose of in compliance with all local and national regulations.
--	---

## SECTION 14: Transport information

## Further information

	The product is not classified as dangerous for carriage.
--	--

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and
-------------	---

## 3050818 / 3050819 RTU TRAFFIC FILM REMOVER (EP 00147)

Revision 6

Revision date 2017-07-26

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

**15.2. Chemical safety assessment**

No chemical Safety assessment has been carried out by the supplier.

**SECTION 16: Other information****Other information**

<b>Revision</b>	This document differs from the previous version in the following areas: 1 - Description. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 15 - Regulations.
<b>Text of risk phrases in Section 3</b>	R22 - Harmful if swallowed. R34 - Causes burns. R35 - Causes severe burns. R36 - Irritating to eyes. R38 - Irritating to skin. R40 - Limited evidence of a carcinogenic effect. R41 - Risk of serious damage to eyes. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<b>Text of Hazard Statements in Section 3</b>	Acute Tox. 4: H302 - Harmful if swallowed. Eye Irrit. 2: H319 - Causes serious eye irritation. Carc. 2: H351 - Suspected of causing cancer . Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. STOT SE 3: H335 - May cause respiratory irritation. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation.

**Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.