


Clarke®

8' x 6' x 6'6" Professional Growers Greenhouse Assembly Instructions



DESCRIPTION	MODEL #
8' x 6' x 6'6" Professional Growers Greenhouse	PGG68 3503514

Please read instructions **COMPLETELY** before assembly. This shelter **MUST** be securely anchored.

Before you start: 2 or more individuals recommended for assembly, approximate time 1 1/2 hours.

Clarke®

Clarke International
Hemnal Street
Epping
Essex CM16 4LG
ENGLAND
www.clarkeinternational.com

PARTS & SERVICE: 0208 988 7400

E-mail: Parts@clarkeinternational.com or
Service@clarkeinternational.com

**SALES: UK 01992 565333 or
EXPORT: 00 44 (0)1992 565335**

ATTENTION:

This greenhouse is manufactured with quality materials. It is designed to fit the custom fabric cover included. Please anchor the greenhouse carefully following the instructions in this manual. Proper anchoring, keeping the cover tight and free of snow and debris is the responsibility of the consumer. Please read and understand the installation detail, warnings and cautions prior to beginning installation.

DANGER:

Choose the location of your greenhouse carefully. **DANGER: Keep away from electrical wires.** Check for overhead utility lines, tree branches or other structures. Check for underground pipes or wires before you dig. DO NOT install near roof lines or other structures that could shed snow, ice or excessive run off onto your shelter. DO NOT hang objects from the roof or support cables.



WARNING:

Risk of fire. DO NOT smoke or use open flame devices (including grills, fire pits, deep fryers, smokers or lanterns) in or around the greenhouse. DO NOT store flammable liquids (gasoline, kerosene, propane, etc.) in or around your greenhouse. Do not expose top or sides of the greenhouse to open fire or other flame source.

CAUTION:

Use CAUTION when erecting the frame.

PROPER ANCHORING AND INSTALLATION OF FRAME:





















PROPER ANCHORING OF THE FRAME IS THE RESPONSIBILITY OF THE CONSUMER.

Clarke® International is not responsible for damage to the unit or the contents from acts of nature. Any greenhouse that is not anchored securely has the potential to fly away causing damage. Periodically check the anchors to ensure stability of the greenhouse. Clarke® International cannot be responsible for any greenhouse that blows away. **NOTE:** *Your greenhouse's cover can be quickly removed and stored prior to severe weather conditions.* If strong winds or severe weather is forecasted in your area, we recommend removal of the cover.


CARE AND CLEANING:

A tight cover ensures longer life and performance. Always maintain a tight cover. Loose fabric can accelerate deterioration of cover fabric. Immediately remove any accumulated snow or ice from the roof structure with a broom, mop or other soft-sided instrument. Use extreme caution when removing snow from cover- always remove from outside the structure. DO NOT use hard-edged tools or instruments like rakes or shovels to remove snow. This could result in punctures to the cover. DO NOT use bleach or harsh abrasive products to clean the fabric cover. Cover is easily cleaned with mild soap and water.





8' x 6' x 6'6" Organic Growers Greenhouse - Parts List - Model # PGG68 3503514

Description of Parts:	Quantity	Part #
 <p>3-Way Frame Connectors</p>	6	802860
 <p>4-Way Frame Connectors</p>	3	802861
 <p>34.4 in. Poles</p>	12	802864
 <p>22.2 in. Upright Poles</p>	6	802862
 <p>45.7 in. Roof Rails</p>	6	802868
 <p>46.1 in. Cover Rails</p>	4	802695
 <p>40.7 in. Side Vent Rails</p>	2	802866
 <p>27.9 in. Side Vent Rails</p>	4	802867
 <p>Cover</p>	1	803094
 <p>4-Way Cover Rail Half-Clamps</p>	4	13201
 <p>3-Way Cover Rail Half-Clamps</p>	8	13202
 <p>Bolts $1/4 \times 1 \frac{7}{8}$ in.</p>	36	03032
 <p>Bolts $1/4 \times 1 \frac{5}{8}$ in.</p>	14	10115
 <p>Washer $1/4$ in.</p>	8	01011
 <p>Wing Nut $1/4$ in.</p>	50	07000
 <p>Bungee Cords</p>	12	10066
 <p>Foot Plates - Grey</p>	6	802916
 <p>15 in. Anchors</p>  <p>Cable - 24 in. Length</p>  <p>Cable Clamps</p>	<p>4</p> <p>4</p> <p>4</p>	<p>10014</p> <p>801138</p> <p>10016</p>

1. LAY OUT ROOF FRAME



2. ASSEMBLE ROOF FRAME Use 03032 bolts and 07000 wingnuts as shown.







3. ASSEMBLE LEGS & ATTACH TO ROOF FRAME *Use bolts as shown in illustrations.*

A. Assemble each of the 6 legs.

B. Attach legs with 1-7/8 inch bolts (#03032) on one side of roof frame, letting the other side of roof frame rest on the ground.

C. Attach remaining legs with bolts to opposite side of roof frame.






4. ASSEMBLE COVER RAILS

A. Place a cover rail (802695) between each leg and secure them with cover clamps as shown below.

NOTE: Loosely **HAND-TIGHTEN** these connections.

B. Slide the cover rails so they are approximately 8 inches up from the ground.




5. SQUARING UP THE FRAME

A. Place frame in its final location, which needs to be as flat and level as possible.

B. Measure across opposite corners. **These distances must be equal to within 1 inch.**


C. Check that the front and rear of the frame measures 6 feet in width



6. INSTALLING COVER AND COVER RAILS

- A.** Your greenhouse cover comes in one complete piece. You may find it easier to fit the cover over the frame by partially opening the door zippers.
- B.** Pull cover over the frame, making sure to center cover on frame. There should be an equal amount of overhang at all four corners.
- C.** Inside the greenhouse, place a bungee cord fastener through each grommet hole and loop around the pipe of the roof frame. Secure elastic around ball.
- D.** Disassemble cover rails and slide them through the fabric pockets at each leg. Reattach with clamps to each leg. Repeat this on other side. Push down on cover rails to tighten cover, before tightening bolts completely.
- E.** Check and tighten Cover Rails monthly to ensure the cover is tight.

✕ = Bungee fastener locations





7. PROPERLY ANCHOR FRAME

Your unit comes with 4 Anchors.

A. Anchors must be placed inside shelter at the corners of the shelter. Insert a 3/4-inch pipe or steel rod, through the eyelet of the auger and screw the anchor into the ground until the eyelet is sticking out of the ground by 1 to 2 inches so it can be anchored to the legs.

*If ground is too hard, dig a hole with a shovel or post hole tool. **Optional:** Place auger in hole and fill with cement.*

B. Thread cable provided through the eyelets of the Anchor as indicated in figure. Secure the cable with the clamps provided.






WARNING:

Serious injury to persons or property could result if cover is installed and shelter is not anchored and is left unattended. Shelter must be securely anchored before use.

8. INSTALLING AND USING SIDE VENT RAILS

- A. Assemble rails for the side vents as shown below. Bolts are **not** used for these connections.
- B. Insert assembled vent rails into pockets at the bottom of the vent covers on each side.
- C. To open side vents, roll green vent covers upward and use the straps and clips to secure them in place.



9. USING THE END PANEL VENTS

A. To open vents, completely unzip the semicircular zipper.

B. Roll the vent cover upward.

C. Use the hook-and-loop strap to secure the vent cover in a rolled position.

